	Application No.	Applicant(s)
Notice of Allowability	10/611,307	MATSUDA ET AL.
	Examiner	Art Unit
	Thomas L. Dickey	2826
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment After Non-Final Rejection filed 07/14/2008</u> .		
2. The allowed claim(s) is/are <u>15-18</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No. 09/209,214.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ul><li>5. ☐ Notice of Informal Page</li><li>6. ☐ Interview Summary</li><li>Paper No./Mail Dat</li></ul>	(PTO-413), e
<ol> <li>Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> </ol>	7. 🛭 Examiner's Amendn	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	<ul><li>8. ☑ Examiner's Stateme</li><li>9. ☐ Other</li></ul>	nt of Reasons for Allowance
		Thomas L Dickey Primary Examiner Art Unit: 2826

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## IN THE CLAIMS:

In claim 15 line 24, delete "[[and]]".

## REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

Claim 15 (from which claims 16-18 depend) requires a device having a semiconductor element area including a plurality of capacitors, said semiconductor element area being surrounded by a plurality of dummy elements each including a dummy capacitor having both of the following qualities:

- 1. Each dummy capacitor must have a dielectric layer that is either ferroelectric or has a dielectric constant of 100 or more,
- 2. Each dummy capacitor must have the same dimensions as each of the plurality of capacitors in the semiconductor element area. Note that the claim recites the plural (dimensions). Dummy capacitors having only one dimension in

Application/Control Number:

10/611,307

Art Unit: 2826

common with the plurality of capacitors in the semiconductor element area do not meet the claim.

In their 12/13/07 comments Applicants correctly point out that the prior art teaches the first of these limitations, but does not teach the two limitations, combined.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

**4.** Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas L. Dickey whose telephone number is 571-272-1913. The examiner can normally be reached on Monday-Thursday 8-6.

If attempts to reach the examiner by telephone are unsuccessful, please contact the examiner's supervisor, Sue A. Purvis, at 571-272-1236. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

10/611,307 Art Unit: 2826

have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Thomas L Dickey/

Primary Examiner, Art Unit 2826